

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
B1B2: Beltsville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Seepage Slope Depth to saturated zone	1.00 0.32 0.25
B1C3: Beltsville-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Slope Seepage Depth to saturated zone	1.00 1.00 0.25
BtA: Butlertown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.50
BtB2: Butlertown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 0.50 0.32
BtC3: Butlertown-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.50
Co: Coastal Beaches----	100	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ek: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
ErE: Eroded Land-----	100	Not rated		Not rated	
Es: Escarpments-----	100	Not rated		Not rated	
EvB: Evesboro-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
EvC: Evesboro-----	100	Very limited Filtering capacity Slope	1.00 0.04	Very limited Seepage Slope	1.00 1.00
EvE: Evesboro-----	100	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
FsA: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
FsB: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
Gp: Gravel And Borrow Pits-----	95	Not rated		Not rated	
HoB2: Howell-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Seepage Slope	0.71 0.32 0.32
HoC2: Howell-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.04	Very limited Slope Depth to saturated zone Seepage	1.00 0.71 0.32
HoD2: Howell-----	100	Very limited Restricted permeability Slope Depth to saturated zone	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 0.71 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HwB2: Howell-----	100	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Seepage Slope	0.71 0.32 0.32
HyC3: Howell-----	100	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.04	Very limited Slope Depth to saturated zone Seepage	1.00 0.71 0.32
HyD3: Howell-----	100	Very limited Restricted permeability Slope Depth to saturated zone	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Seepage	1.00 0.71 0.32
ImB: Iuka-----	95	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Seepage Flooding	1.00 0.50 0.40
KpA: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KpB2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
Ma: Made Land-----	100	Not rated		Not rated	
M1A: Marr-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MlB2: Marr-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.32
MlC2: Marr-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Seepage Slope	1.00 1.00
MlC3: Marr-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Seepage Slope	1.00 1.00
MlD3: Marr-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
MmA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MmB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MnA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MnB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MnC2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MnC3: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MnD3: Matapeake-----	100	Somewhat limited Slope Restricted permeability	0.84 0.68	Very limited Slope Seepage	1.00 1.00
MtA: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
MtB2: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
MuA: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
MuB2: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
MuD3: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability Slope	1.00 1.00 0.68 0.16	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 1.00
My: Mixed Alluvial Land-	100	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OcB: Ochlockonee-----	100	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.50 0.40	Very limited Seepage Depth to saturated zone Flooding Slope	1.00 0.71 0.40 0.08
OtA: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
OtB: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
RdB: Rumford-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
RdC2: Rumford-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
RdD2: Rumford-----	100	Very limited Filtering capacity Slope	1.00 0.84	Very limited Slope Seepage	1.00 1.00
ReB: Rumford-----	70	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
Evesboro-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ReC: Rumford-----	60	Very limited Filtering capacity Restricted permeability Slope	1.00 0.50 0.04	Very limited Slope Seepage	1.00 1.00
Evesboro-----	40	Very limited Filtering capacity Slope	1.00 0.04	Very limited Seepage Slope	1.00 1.00
ReD: Evesboro-----	50	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Rumford-----	50	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00
SaA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SaB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SaC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
ShA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00



Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ShB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
ShC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
ShC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
ShD2: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
ShD3: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SlA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SlB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SlC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SpB2: Sassafras-----	60	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage Slope	1.00 0.32
Westphalia-----	40	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.32
SpC3: Sassafras-----	60	Very limited Filtering capacity Restricted permeability Slope	1.00 0.50 0.04	Very limited Slope Seepage	1.00 1.00
Westphalia-----	40	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Slope Seepage	1.00 1.00
SrE: Sassafras-----	60	Very limited Slope Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Slope Seepage	1.00 1.00
Westphalia-----	40	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
Sx: Swamp-----	100	Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated	
WaB2: Westphalia-----	100	Somewhat limited Restricted permeability	0.50	Very limited Seepage Slope	1.00 0.32

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WaC2: Westphalia-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Slope Seepage	1.00 1.00
WaC3: Westphalia-----	100	Somewhat limited Restricted permeability Slope	0.50 0.04	Very limited Slope Seepage	1.00 1.00
WaD2: Westphalia-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
WaD3: Westphalia-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
WoA: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WoB: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32

